PLATE TECTONICS - Part I

Geology's Modern Paradigm

Background and Overview

Introductory Oceanography

Ray Rector - Instructor





Topics in Plate Tectonics

Topics

- ✓ Age of the Earth
- ✓ Earth Physiology
- ✓ Isostasy
- ✓ Continental Drift
- ✓ Plate Tectonics Theory
- ✓ Seafloor Spreading
- ✓ Subduction
- ✓ Plate Dynamics
- ✓ Driving Mechanisms



Crustal Plate Boundaries





INTRO TO PLATE TECTONICS

Key Features:

- ✓ 14 Lithosphere Plates
- ✓ 6 Major, 8 Minor
- ✓ 100-300 km thick
- ✓ Strong and rigid
- ✓ Plates float on partially molten asthenosphere
- ✓ Plates are mobile
- ✓ Cm's/yr motion rates
- ✓ Seafloor Spreading creates new oceanic plates
- ✓ Subduction destroys older oceanic plates



Earth's Lithospheric Plates



We Live on a Very Active Planet



The Earth has been ***Rocking It*** every single day of its 4.6 billion year life….and its only at its mid-point in lifespan

Dynamics of a Restless Planet

Earth's Surface Exhibits a Long History of Volcanic Activity

- ✓ Billions of years of volcanic activity
- ✓ Widespread evidence of regional-scale volcanism occur in belt-like exposures
- ✓ Volcanism found in both continental and oceanic settings



Mt St Helens Eruptions

Dynamics of a Restless Planet

Earth's Surface Exhibits Extensive Faulting Activity

- ✓ Evidence of faulting stretching over billions of years of time
- ✓ Worldwide occurrence of local and regional-scale faulting occur along belt-like regions
- ✓ Faulting and associated quakes found in both continental and oceanic settings



Great San Fran EQ of 1906

Dynamics of a Restless Planet

Global Earthquake Pattern Coincides with Active Volcanism

- ✓ Most active faults are located along curvi-linear belts where both, active volcanism and mountain building are occuring
- ✓ Earthquakes and active volcanoes trace out the edges of tectonic plates

Dynamics of a Restless Planet

Earth Exhibits a Long History of Mountain Building Events

✓ Activity stretching over billions of years of time

✓Numerous belt-like regions of exposed crustal rocks show intense deformation

Present-day Mountain Belt of Folded and Faulted Crust



Earth's Age

How Old Is the Earth?

How Can We Determine the Age of Earth?

How Can We Date Earth's Geologic Events?



Scientific Means of Dating Earth

Two Primary Means of Dating Rocks:

1) **Relative Dating**

- ✓ Determines the temporal order of rock forming events
- ✓ Does not give numeric ages
- ✓ Use of stratigraphic principles and fossils

2) **Absolute Dating**

- ✓ Determines the numeric age of rock forming events
- ✓ Only appropriate for ages of igneous rocks and minerals
- ✓ Primary method is the ***radiometric technique***
- ✓ Used in conjunction with stratigraphic principles and fossils

Relative Dating and Stratigraphy

Relative Dating Principles

1) **Superposition**
   - ✓ Oldest on bottom
   - ✓ Youngest on top
2) **Cross-cutting**
   - ✓ Cross-cutting structure is younger than the structure that is being cross-cutting
3) **Fossil Succession**
   - ✓ Rocks containing a specific fossil species indicates a specific age





Principles of Radiometric Decay

The Principles

- ✓ Spontaneous decay of unstable parent element into a its unique stable daughter element
- ✓ The half-life of each parent-daughter pair is a constant
- ✓ Age of an igneous rock is determined by measuring the ratio of rock's parent-daughter material





Radiometric Half-Lives

Radioactive Parent/Daughter Pairs and Associated Half-Lives



Parent Isotope	Stable Daughter Product	Currently Accepted Half-Life Values
Uranium-238	Lead-206	4.5 billion years
Uranium-235	Lead-207	704 million years
Thorium-232	Lead-208	14.0 billion years
Rubidium-87	Strontium-87	48.8 billion years
Potassium-40	Argon-40	1.25 billion years
Samarium-147	Neodymium-143	106 billion years

1) “Parent” isotope is the unstable radioactive element in the pair

2) The “daughter” isotope is the stable product element

3) The “parent” will eventually decay into the “daughter” isotope after a relative long period of time at an extremely constant rate

Radiometric Dating Method

Analysis of Parent/Daughter Isotopic Compositions in Rocks

- ✓ Parent and daughter elements are isolated and refined from host mineral using conventional wet chemistry methods.
- ✓ Geochronologists determine the isotopic abundances of each paired parent and daughter element using a mass spectrometer.
- ✓ Isotopic abundance data are then used to determine rock age using the decay formula.





Radiometric Dating Method

Radioactive Decay of Parent Isotope into a Daughter Isotope

The mathematical expression that relates radioactive decay of parent to daughter to geologic time is called the ***age equation*:**

$$t = \frac{1}{\lambda} \ln\left(1 + \frac{D}{P}\right)$$

where t is the age of the rock or mineral specimen,
D is the number of atoms of a daughter product today,
P is the number of atoms of the parent isotope today,
ln is the natural logarithm (logarithm to base e), and
λ is the appropriate decay constant.

(The decay constant for each parent isotope is related to its half-life, $t^{1/2}$ by the following expression: $t^{1/2} = \frac{\ln 2}{\lambda}$

The age of the rock or mineral is equal to the proportion of the daughter over the parent multiplied by the “half-life” age constant

Earth's Age - *Radiometric Dating of Rocks*

Earth's Oldest Rock and Minerals

Material	Technique	Age (in billions of years)
Acasta Gneiss (NW Territories, Canada)	207Pb-206Pb isochron	4.031 ± 0.003



Zircon in a gneiss, Jack Hills, Australia)	207Pb-206Pb	4.031 ± 0.003

Oldest Moon Rocks

Anorthosite Breccia	Technique	Age (in billions of years)
Apollo 16	Rb-Sr isochron	4.56 +- 0.1

Oldest Meteorites

Material	Technique	Age (in billions of years)
Norton County (achondrite)	Mineral isochron	4.70 +- 0.1

Earth's Geological Timescale

Key Ideas:

1) Originally based on relative dating and the use of age-specific fossils

2) Each period defined by unique assemblages of organisms

3) Periods separated by mass extinction events

4) Numeric ages derived from radiometric analysis of igneous rocks found within the stratigraphic record



Earth's Anatomy 101



Earth's Early Differentiation Event



Accretion Scenario 1

Accretion Scenario 2



Earth's History of Differentiation



Early Earth likely entirely molten – gravitational segregation of dense metals (mostly Fe) to the center is the result.

Earth's Ongoing Differentiation



Earth's Anatomy Today

Chemical and Physical Nature of Earth's Interior





Density Layering of Earth's Interior

Earth's Continents and Ocean Basins

Earth's Continents and Ocean Basins

Key Points: 1) Prior to 60 years ago, all physiology maps of Earth showed ocean basins as blue = lack of sea bottom data. 2) Continental land masses were well-mapped much earlier on.

Oceanography Comes of Age

- Technologic Innovations Light Up the Ocean Bottoms
  - ✓ Sonar and Radar Mapping
  - ✓ Piston coring and Drilling
  - ✓ Magnetometer surveys
  - ✓ Radiometric and fossil dating
  - ✓ Submersible investigations
  - ✓ Subsurface seismic surveys
  - ✓ Computer-assisted research
- Detailed Seafloor Image Emerges
  - ✓ Ridges, fracture zones, trenches
- Radical New Ideas Take Hold
  - ✓ Seafloor Spreading and Subduction
  - ✓ The Plate Tectonic Theory

The Seafloor Illuminated!

Topography of Earth's Ocean Basins



An Earth with No Ocean!

Elevation Relief Profile of Earth's Crust



1. Sea level
2. Continental shelf
3. Continental slope
4. The deep ocean floor
5. Mean depth of ocean 3700m
6. Mean altitude of land 840m
7. Mt. Everest 8848m
8. Mariana Trench 11022m

Cross-Section Profile of an Ocean Basin



Large-Scale Ocean Bottom Features

- ✓ Continental shelf, slope, and rise
- ✓ Abyssal plains and hills
- ✓ Mid-ocean ridge and rift valley
- ✓ Oceanic islands, seamounts, and guyots
- ✓ Ocean trench

Earth's Continents and Ocean Basins

1) Two Different Types of Crust

- ✓ Continental - Granitic
- ✓ Oceanic - Gabbroic

2) Continental Crust

- ✓ Lighter (2.7 g/ml)
- ✓ Thicker (30 km)
- ✓ High Standing (1 km elev.)

3) Oceanic Crust

- ✓ Denser (2.9 g/ml)
- ✓ Thinner (7 km)
- ✓ Low Standing (- 4 km elev.)

Two Primary Types of Earth Crust

1) Two Different Types of Crust

- ✓ Continental = Granitic
- ✓ Oceanic = Gabbroic

2) Continental Crust

- ✓ Lighter (2.7 g/ml)
- ✓ Thicker (30 km)
- ✓ High Standing (1 km elev.)

3) Oceanic Crust

- ✓ Denser (2.9 g/ml)
- ✓ Thinner (7 km)
- ✓ Low Standing (- 4 km elev.)

Oceanic Crust
Gabbroic Rock

Continental Crust
Granitic Rock



Two Primary Types of Earth Crust



Deep Sea Ooze

Pillow Basalt



Sheeted Dykes



Gabbro





Sedimentary

Granite and Gniesses

Ultrabasic mantle rock

Isostasy: Crust *Floating* in Mantle



h_1 = elevation of mountain belt (above sea level)
h_2 = depth of marine basin (below sea level)
b_1 = thickness of crustal roots (below depth of Moho in a cratonic area)
b_2 = thickness of lithosphere mantle bulge (above depth of Moho in a cratonic area)
c = thickness of continental crust in an undeformed (cratonic) area (ca. 35 km)

ρ_w = density of sea water (ca. 1,000 Kg/m^3)
ρ_c = density of continental crust (ca. 2,800 Kg/m^3)
ρ_m = density of mantle (ca. 3,300 Kg/m^3)



1) Isostatic Equilibrium Between Crust and Mantle; Lithosphere and Asthenosphere

2) Isostatic Adjustments Made Over Geologic Time When A Layer's Density and/ or Thickness Changes

4) Isostatic Adjustments Produce Vertical Movement of Crust – Uplift or Subsidence

The Concept of Isostasy

Defined: state of gravitational equilibrium between the earth's *rigid* lithosphere and *fluid* asthenosphere, such that the tectonic plates "float" in and on the underlying mantle at height and depth positions controlled by plate thickness and density.



- The term “isostasy” is from Greek “iso” = equal; “stasis” = equal standing.

- Earth’s strong rigid plates exert a downward-directed load on the mobile, underlying weaker, plastic-like asthenosphere – pushing down into the mantle.

- The asthenosphere exerts an upward pressure on the overlying plate equal to the weight of the displaced mantle – *isostatic equilibrium* is established.

- Mantle will flow laterally to accommodate changing crustal loads over time – this is called *isostatic adjustment*

- Plate tectonics, erosion and changing ice cap cause isostatic disequilibrium

Concept of Buoyancy

1) Buoyancy is an important force on objects immersed in a fluid.

2) Buoyancy is the fluid pressure exerted on an immersed object equal to the weight of fluid being displaced by the object.

3) The concept is also known as Archimedes's principle

- Principle applies to objects in the air and on, or in, the water.
- Principle also applies to the crust “floating” on the mantle, which is specially termed “isostacy”.

4) Density is a controlling factor in the effects of buoyancy between an object and its surrounding immersing fluid

- The greater the difference in density between the object and the fluid, the greater the buoyancy force = sits high
- The lesser the difference in density between the object and the fluid, the lesser the buoyancy force = sits low



Example of Buoyancy: Boat on a Lake

What is the density of the boat with cat in relation to the lake water?

The Isostatic Equilibrium







Isostatic Adjustment - Orogeny





Isostatic Loading and Rebound – *Orogeny and Erosion*

Isostatic Adjustment – Volcanism



Growth of the Hawaiian Islands – Crustal Depression

Isostatic Adjustment – Ice Caps



Glacial Adjustment



Isostatic Response to Changing Ice Thickness

INTRO to PLATE TECTONIC THEORY

Key Features:

- ✓ 14 Lithosphere Plates
- ✓ 6 Major, 8 Minor
- ✓ 100-300 km thick
- ✓ Strong and rigid
- ✓ Plates float on partially molten asthenosphere
- ✓ Plates are mobile
- ✓ Cm's/yr motion rates
- ✓ Seafloor Spreading creates new oceanic plates
- ✓ Subduction destroys older oceanic plates

Earth's Lithospheric Plates



Animation of Overview of Plate Tectonics – on YouTube

Two Principle Tectonic Processes



Seafloor Spreading Subduction

1) Seafloor Spreading = Plate Constructive

- Coincides with mid-ocean ridges
- Divergent plate boundary
- Tholiietic basaltic volcanism

2) Subduction = Plate Destructive

- Coincides with deep sea trenches and volcanic arcs
- Convergent plate boundary
- Explosive Andesitic volcanism

Animation of Overview of Plate Tectonics – on YouTube

Scientific Journey of Discovery/Testing to Tectonic Theory



1) What sorts of observations were made and where? Data collected?

2) What sorts of technologies were developed and used?

3) How were hypotheses tested? Validated hypotheses turned into supporting evidence? Predictions made?

4) How were various established lines of evidence/ideas integrated to form the plate tectonic theory?

5) Road of discovery starts with the continental drift hypothesis starting back in early 1900's

Continental Drift Hypothesis

PERMIAN
225 million years ago

TRIASSIC
200 million years ago

JURASSIC
135 million years ago

CRETACEOUS
65 million years ago

PRESENT DAY

Alfred Wegener
(1880-1930)

Continental Drift Hypothesis

Main Ideas:

1. Alfred Wegener was the primary sponsor of hypothesis
2. Supercontinent "Pangea" existed in the Permian Period
3. Pangea began to break up in the Triassic Period with dispersal, i.e."drifting", of the rifted continents
4. Continental masses plowed through ocean crust
5. Strong lines of land-based evidence support the hypothesis
6. Driving mechanism for "continental drift" invalidated
7. Plate tectonics theory replaced continental drift idea

PANGAEA - PANTHALASSA



Permian Period - 220 Million Years Ago

Pangaea, Panthalassa, Triassic Breakup, and Continental Drift

- Animation shows the sequential breakup of the Pangea Supercontinent
- The progressive breakup of Pangea occurred over the last 200 million years and will continue into the future
- Opening of Atlantic Ocean basin, collapse of Panthalassa Super-ocean basin, and Continental Drift



(a) Present

(b) 200 million years ago

Pangaea and Continental Drift Animation



Pangaea and Continental Drift Animation



The Continental Drift Hypothesis

Wegener's Lines of Supporting Evidence:

1. Fit of adjoining continental coastlines



2. Truncated mountain and mineral belts

3. Intercontinental fossil affinities



4. Connection of ancient climatic belts

Gonwanaland Fossil Evidence



Gonwanaland Rock Evidence

Perfect Fit of Truncated:

1) Mountain Belts
2) Mineral belts
3) Terranes



Continental Drift Hypothesis



Breakup of Pangea
And Continental Drift

Conclusions

- Good land-based evidence for drift
- No evidence from ocean basins
- Driving mechanism invalidated
- No alternate drift mechanism found
- Hypothesis invalidated and nearly forgotten….until…. the 1960's.

Wegener

Two Principle Tectonic Processes

1) **Seafloor Spreading** = **Plate Constructive**

2) **Subduction** = **Plate Destructive**



Animation of Overview of Plate Tectonics – on YouTube



PLATE TECTONIC THEORY

Key Features:

- ✓ 14 Lithosphere Plates
- ✓ 6 Major, 8 Minor
- ✓ 100-300 km thick
- ✓ Strong and rigid
- ✓ Plates float on partially molten asthenosphere
- ✓ Plates are mobile
- ✓ Cm's/yr motion rates
- ✓ Seafloor Spreading creates new oceanic plates
- ✓ Subduction destroys older oceanic plates



Earth's Lithospheric Plates



3 General Types of Plate Boundaries





1) **Divergent** = Constructive: creation of new oceanic plate
2) **Convergent** = Destructive: destruction of old oceanic plate
3) **Transform** = Conservative: no creation or destruction of plates

Two Principle Tectonic Processes

1) **Seafloor Spreading** = **Plate Constructive**

2) **Subduction** = **Plate Destructive**



Animation of Overview of Plate Tectonics – on YouTube

Seafloor Spreading Processes

Seafloor Spreading = Oceanic Plate Constructive



Seafloor spreading is a double conveyor belt-like process that produces "mirrored" growth of new seafloor between two diverging plates along the centerline of a mid-ocean ridge

The Subduction Processes

Subduction = Oceanic Plate Destruction



Subduction is a tectonic process where old oceanic lithosphere sinks down into the mantle at convergent plate boundaries, thereby destroying seafloor. Deep sea trenches and active volcanic arcs coincide where subduction is occurring.

Divergent Plate Boundaries and Seafloor Spreading

Main Ideas:

1. Seafloor spreading is a double conveyor belt-like process that produces "mirrored" growth of new seafloor between two diverging plates

2. Initiated by continental rifting event

3. Mid-ocean ridges are the most typical geographic expression of active spreading



4. Plates "spread" apart to accommodate new additions at the ridge center (rift valley)

5. Basaltic magmas generated by the decompression melting of upwelling asthenosphere rock beneath the spreading centers

Seafloor Spreading Process

Key Features:

- The illustrations to the right shows the progressive growth of oceanic seafloor at a mid-ocean ridge due to seafloor spreading
- Basaltic magmas arise from decompression melting of hot ascending asthenosphere beneath the mid ocean ridge
- As new oceanic lithosphere is constructed at the mid ocean ridge, older plate material passively moves off and away from both sides of ridge
- Most oceanic lithosphere will eventually get subducted back into the asthenosphere



Continental Rifting & Ocean Basin Development

Progression from Continental Rifting to Seafloor Spreading





East Africa and Arabia

Continental Rifting





Continental Rifting is the initiation of Seafloor Spreading

Initial rifting inside a continental plate creates a continental rift valley, which through time, may eventually grow into an a full-size ocean basin.

3 Types of Convergent Plate Boundaries

1) Oceanic-Continental

Subduction-related continental margin arc

2) Oceanic-Oceanic

Subduction-related continental margin arc

3) Continental- Continental

Collision boundary of two continents



Key Points: Convergent plate boundaries are the sites of 1) formation of new continental crust, 2) intense crustal deformation and 3) recombination of continental masses.

Subduction

Main Ideas:



1) Process of destroying old oceanic lithosphere by sinking down into the mantle at convergent plate boundaries

2) Subduction zones are marked by a paired trench-volcanic arc system

3) Andesite-dominated volcanic arc H_2O magmas are generated by dehydration melting of subducted slab and mantle wedge beneath the volcanic arc

4) Highly explosive arc eruptions due to high silica, H_2O and CO_2 content

5) Subduction causes ocean basins to collapse

6) Subduction initiates the accretion of exotic, buoyant, crustal terranes

7) Subduction is the site where new continental crust is being created

Subduction = Seafloor Destruction



1) Subduction is caused by over-dense oceanic plate sinking back into the asthenosphere under its weight = main driving force of plate tectonics.

2) Interplate convergent motion at subduction zones leads to the diverging, pull-apart, seafloor spreading plate boundaries = ocean plate mass balance.

3) Seafloor spreading is the crustal mass counter-balancing process to the subduction of older density-unstable seafloor crust sinking back into mantle.

Formation of Volcanic Arcs



The Subduction Process

Key Features:

- Illustration to the right shows the progressive destruction of old oceanic seafloor at a trench due to subduction.
- Water-rich basaltic magmas are generated from partial melting of asthenosphere above the subducting slab, due to release of ocean water from slab
- Subduction-related magmas rise and intrude up through overlying plate creating a volcanic mountain chain or arc
- Other consequences of subduction are terrane accretion and collapsing ocean basins.





Subduction and Ocean Basin Collapse

Three Stages of Ocean Basin Collapse

1) **Declining = Basin shrinkage**

2) **Terminal = MOR subducted**

3) **Suturing = Continental collision and extinguished subduction**

The ***climax*** of an ocean basin collapse is the formation of a tall, extensive "fold and thrust" mountain chain, much like the Himalayas of today, along with the extinction of the subduction system (loss of active volcanism).



Fig. 3-25 History of an ocean. (Second of two acetates.)

Volcanic Arcs and Terrane Accretion



Key Ideas:

- ✓ Subduction tractor-pulls land masses inbedded in oceanic plates toward deep sea trenches
- ✓ Once landmasses get pulled into the trench, they end up getting "***squeegeed"*** onto the edge of the upper, overriding plate,
- ✓ Over time, substantial parcels or terranes are added to the leading edge of plates bordering subduction zones.



Subduction to Continental Collision





1) Continental collision is a process that collides and joins two continental plates into one larger plate at a convergent plate boundary with conclusion of subduction ocean basin collapse.

2) Massive folded and thrust-faulted mountain belts form as the result of continental collision

3) Animation shows the collision of India with the Asian plate with the result of the Himalayan Mountains

Plate Tectonics Review

Plates, Boundaries, Faulting and Volcanism -



Questions:

1) How many types of plate boundaries do you recognize here?

2) Which type of plate boundaries have little to no volcanism? Why?

3) How does the plate tectonic theory explain inner-plate hot spots?

Global Plate Tectonic Map



Key Points: 1) Each plate moves with a unique direction and speed 2) Fastest plates are those with greatest length of subducting edge. 3) Slowest plates have no subducting edges.

Discussion

Subductive Thoughts?





PLATE TECTONICS - Review

Key concepts:

1) Earth's crust and uppermost mantle broken up into 18 mobile, rigid slabs called lithospheric plates
2) Lithospheric plates ride independently atop the underlying partially-molten mantle called the asthenosphere
3) Three types of dynamic lithospheric plate boundaries:
   Divergent, Convergent, and Transform
4) Divergent boundaries
   - Continental rifting
   - Seafloor-spreading
   - Creation of new oceanic plate
5) Convergent boundaries
   - Subduction
   - Destruction of older oceanic pl
   - Terrane accretion
   - Continental collision
6) Transform boundaries
   - Strike-slip faulting



7) Plate tectonics driven by density, heat and gravity (convection)
8) Plate tectonic theory explains most geologic phenomena

Review of Today's Topics

Topics

- ✓ Age of the Earth
- ✓ Earth Physiology
- ✓ Continental Drift
- ✓ Plate Tectonics Theory
- ✓ Seafloor Spreading
- ✓ Subduction
- ✓ Terrain Accretion



Crustal Plate Boundaries



Preparation for Next Meeting

Next Meeting Topics

1) Seafloor Spreading and Subduction
2) Evidence for Plate Tectonics
3) Plate Dynamics
4) Driving Mechanisms



Homework Assignment:

- **Read Chapter 2 and 3 in Text**
- **Study the Instructor's Website**
  - @ **www.seascisurf.com**
    - ✓ **Lecture Notes**
    - ✓ **PowerPoint**
    - ✓ **EV Videos 3 and 4**